




C

B

A

REV. A	SHEET 1 OF 3	10-504637-009
M REVISIONS		
LTR	DESCRIPTION	DATE
A	PRODUCTION RELEASE	6/18/18



D

C

B

A


SEE SHEET 2

NOTES:
THE USE OF THIS DOCUMENT IS UNLIMITED.
HOWEVER, DOCUMENTS REFERENCED HEREON
MAY CONTAIN LIMITED RIGHTS DATA.

SCALE 5.000

NONE	PRO/ENGINEER INFORMATION
	Pro/e Model Used:
	10-504637-009.DWG.ASSEM
	Drawing Name:
	10-504637-009


UNLESS OTHERWISE SPECIFIED	SPECIFICATIONS	POS	QTY	PART NUMBER	DESCRIPTION	NOTE
LINEAR DIMENSIONS ARE IN MILLIMETERS TOLERANCES: .XXXX = $\pm$.NA ANGLES= $\pm 2^\circ$.XXX = $\pm$ NA .XX = $\pm$.13 .X = $\pm$.25 DIM.& TOL. PER ASME Y14.5M; DRM PER MIL-DTL-31000; OTHER Amphenol Sds. PER 9-3800 LEGENDS: =FLAG NOTE CALL OUT REFERENCE ONLY	MATERIAL SPEC.	PARTS LIST				
	NONE	APPROVALS		DATE	AMPHENOL CORPORATION 40-60 DELAWARE AVENUE SIDNEY, N.Y. 13838	
	PROCESS SPEC.	THIRD ANGLE PROJECTION		22-Jun-17	CONNECTOR, FIBER OPTIC, MODULE, 2 MT SPECIAL (VITA 66.4 ENVELOPE)	
	9-3856-5 9-3895	CAGE CODE		77820	DOCUMENT NO.	10-504637-009
SCALE: 3.0		REF: 10-504637-008		SHEET 1 OF 3		



- THE USE OF THIS DOCUMENT IS UNLIMITED.
HOWEVER, DOCUMENTS REFERENCED HEREON
MAY CONTAIN LIMITED RIGHTS DATA.


MATERIALS AND FINISHES	
COMPONENT	MATERIAL/ FINISH
MAIN BODY	BODY - MATERIAL - ALUM. ALLOY PER AMS 4150 FINISH - CHROMATE TREATMENT PER MIL-C-5541, CL 3 HELICAL INSERTS - STAINLESS STEEL 304 SERIES PASSIVATED
MT RETAINER	BODY - MATERIAL - ALUM. ALLOY PER AMS 4150 FINISH - CHROMATE TREATMENT PER MIL-C-5541, CL 3 SCREW - STAINLESS STEEL 300 SERIES PASSIVATED

SIZE C	CAGE CODE 77820	DOCUMENT NO. 10-504637-009	REV. A
SCALE: 3.0		REF. 10-504637-008	SHEET 2 OF 3



SUGGESTED MODULE PCB INTERFACE DIMENSIONS

SCALE 5.000



REAR EXPLODED ASSEMBLY VIEW

SCALE 4.000

THE USE OF THIS DOCUMENT IS UNLIMITED.
HOWEVER, DOCUMENTS REFERENCED HEREON
MAY CONTAIN LIMITED RIGHTS DATA.