





4805 (3/11)

PART NUMBER	ROWS		POWER	SIGNAL						POWER	
			P1	1	2	3	4	5	6	P2	
I-6450128-4	D C B A	HD	PM	J	J	J	J	J	J	PM	HD
				K	K	K	K	K	F		
				N	N	N	N	N	N		
				S	S	S	S	S	S		
IP + 24S + IP											

[illegible]


E	MLBF	. 135	D
F	MLBF	. 135	C
G	MLBF	. 135	B
H	MLBF	. 135	A
J	STD	. 135	D
K	STD	. 135	C
N	STD	. 135	B
S	STD	. 135	A
CODE	MATING SEQUENCE	TAIL LENGTH	ROW
SIGNAL CONTACT			

PA	.090
PM	.135
CODE	TAIL LENGTH
POWER CONTACT	


THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN R. GRZYBOWSKI		10FE005	
		CHK M. PERCHERKE		10FE005	
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		APVD M. PERCHERKE		 TE Connectivity	
		PRODUCT SPEC			
		108-1973			
		APPLICATION SPEC			
0 PLC ± 1 PLC ± 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±.2°		114-13038		RIGHT ANGLE HEADER ASSEMBLY W/END LATCHES MULTI-BEAM XL	
MATERIAL		FINISH		RESTRICTED TO	
-		-		-	
		WEIGHT		SIZE	
		-		A1 100779	
		CUSTOMER DRAWING		DRAWING NO	
				C=6450128	
				SCALE	
				4:1	
				SHEET	
				2 OF 5	
				REV	
				D4	

LOC		DIST		REVISIONS				
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PART NUMBER	ROWS		POWER						SIGNAL						POWER						
			P1	P2	P3	P4	P5	P6	1	2	3	4	5	6	P7	P8	P9	P10	P11	P12	
6450128-8	D C B A	HD	PM	PM	PM	PM	PM	PM	E	E	E	E	E	J	PM	PM	PM	PM	PM	PM	HD
									F	F	F	F	F	F							
									G	G	G	G	G	G							
									S	H	H	H	H	H							
6P + 24S + 6P																					





PART NUMBER	ROWS	POWER				SIGNAL				
		P1	P2	P3	P4	1	2	3		
6450128-9	D C B A	HD	PM	PM	PM	PM	J	J	J	HD
							K	K	K	
							N	N	N	
							S	S	S	
4P + 12S + 0P										



LOC		DIST		REVISIONS				
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PART NUMBER	ROWS		POWER			SIGNAL						POWER			
			P1	P2	P3	1	2	3	4	5	6	P4	P5	P6	
I-6450128-0	D		PM	PM	PM	J	J	J	J	J	J	PM	PM	PM	
	C					K	K	K	K	K	K				
	B					N	N	N	N	N	N				
	A	HD				S	S	S	S	S	S				HD
3ACP + 24S + 3ACP															

PART NUMBER	ROWS		POWER			SIGNAL								POWER			
			P1	P2	P3	1	2	3	4	5	6	7	8	P4	P5	P6	
I-6450128-1	D					J	J	J	J	J	J	J	J				
	C		PM	PM	PM	K	K	K	K	K	K	K	K	PM	PM	PM	
	B					N	N	N	N	N	N	N	N				
	A	HD				S	S	S	S	S	S	S	S				HD
3ACP + 32S + 3ACP																	



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI	10FEB05	TE Connectivity	
		CHK M. PERCHERKE	10FEB05		
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	RIGHT ANGLE HEADER ASSEMBLY W/END LATCHES MULTI-BEAM XL
		0 PLC $\pm .01$		PRODUCT SPEC	
		1 PLC $\pm .01$		108-1973	
		2 PLC $\pm .01$		APPLICATION SPEC	
MATERIAL		FINISH		SIZE	A100779C=6450128
				CAGE CODE	
				DRAWING NO	RESTRICTED TO
				WEIGHT	
				CUSTOMER DRAWING	
				SCALE	4:1
				SHEET	4 OF 5
				REV	D4

LOC		DIST		REVISIONS				
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PART NUMBER	ROWS		POWER	SIGNAL				POWER	
			P1	1	2	3	4	P2	
I-6450128-2	D	HD	PM	J	J	J	J	PM	HD
	C			K	K	K	K		
	B			N	N	N	N		
	A			S	S	S	S		
	IP + 16S + IP								

D3

PART NUMBER	ROWS		POWER	SIGNAL		POWER	
			P1	I	2	P2	
1-6450128-3	D		PM	J	J	PM	
	C			K	K		
	B			N	N		
	A			HD	S		
1HDP + 8S + 1HDP							

