







Technical drawing of a 2-PLC connector. The drawing shows a top-down view of a rectangular connector with a central 2x2 grid of pins. The pins are labeled with numbers 1 through 16. The drawing includes dimensions: a width of 150 and a height of 100. The text "2-PLC" is written below the drawing.

	4.225	3.875	3.925	3.550	.475	3ACP + 9P + 16S	6600112-8
	3.175	2.825	2.875	2.300	.475	3ACP + 4P + 24S	6600112-7
	4.225	3.875	3.925	3.550	1.025	3ACP + 9P + 16S	6600112-6
	4.225	3.875	3.925	3.550	.475	3ACP + 9P + 16S	6600112-5
.250	2.250	1.900	1.950	1.375	.450	4P + 24S	6600112-4
	3.050	2.700	2.750	2.275	.450	4ACP + 3P + 20S	6600112-3
.300	1.950	1.600	1.650	1.275	.475	3ACP + 16S	6600112-2
.200	2.500	2.150	2.200	1.625	.450	6P + 24S	6600112-1
DIM S	DIM L	DIM U	DIM D	DIM W	DIM K	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT		DWN T.YU 30MAY2008		 TE Connectivity	
		CHK S.ZHAO 30MAY2008			
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
INCHES				RIGHT ANGLE HEADER ASSEMBLY WITH MOUNTING HOLES, DUAL BEAM POWER, MULTI-BEAM XL	
		0 P.LC ±.1 1 P.LC ±.1 2 P.LC ±.01 3 P.LC ±.005 4 P.LC ±.0020		PRODUCT SPEC	
		ANGLES FINISH		108-1973 APPLICATION SPEC 114-13038 WEIGHT	
MATERIAL				SIZE CASE CODE DRAWING NO. RESTRICTED TO A1 100779 C=6600112 -	
				CUSTOMER DRAWING SCALE SHEET OF REV.	
				4:1 1 5 B5	

PART NUMBER	ROWS		POWER						SIGNAL							
			P1	P2	P3	P4	P5	P6	1	2	3	4	5	6		
6600112-1	D C B A			PS	PS	PS	PS	PS	PS							
										J	J	J	J	J	J	
										K	K	K	K	K	K	
										N	N	N	N	N	N	
6P + 24S																



STD	J	.135	D	.254
STD	K	.135	C	.254
STD	N	.135	B	.254
STD	S	.135	A	.254
MLBF	E	.135	D	.204
MLBF	F	.135	C	.204
MLBF	G	.135	B	.204
MLBF	H	.135	A	.204
MATING SEQUENCE	CODE	TAIL LENGTH	ROW	DIM M
SIGNAL CONTACT				

PS	.135
CODE	TAIL LENGTH
POWER CONTACT	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN T.YU 30MAY2008 CHK S.ZHAO 30MAY2008 APPV -		 TE Connectivity	
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.1 1 PLC ±.01 2 PLC ±.005 4 PLC ±.0020 ALL ANGLES 45°		NAME RIGHT ANGLE HEADER ASSEMBLY WITH MOUNTING HOLES, DUAL BEAM POWER, MULTI-BEAM XL	
		PRODUCT SPEC 108-1973 APPLICATION SPEC 114-13038		SIZE CAGE CODE DRAWING NO A1 00779 C-6600112	
MATERIAL - - -		WEIGHT - - -		RESTRICTED TO - - -	
FINISH		CUSTOMER DRAWING		SCALE 4:1 SHEET 2 OF 5 REV B5	

PART NUMBER	ROWS		POWER												SIGNAL				
			P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12	1	2	3	4	
6600112-5	D C B A		PS	PS	PS	PS	PS	PS	PS	PS	PS	PS	PS	PS	J K N S	J K N S	J K N S	J K N H	
3ACP + 9P + 16S																			

300
3 PLC

250
8 PLC

[illegible]4805 (3/13)

