




AMP 4805 REV 31MAR2000

LOC		DIST		REVISIONS				
GP	00	P	LYR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	



PRINTED CIRCUIT LAYOUT
COMPONENT SIDE

CONNECTOR	CATALOG MODULE #	QTY	SIZE NO.	CONTACT QTY	MATING PIN	MAX. CURRENT (PER CONTACT)	CONTACT SPACING	VOLTAGE RATING
SOCKET	FP318	3	22	72	.64 SQ.	3 amps	2.50	125 VOLTS
	FPI61	4	8	4	1.25 X 7.00.	35 amps	7.50	250 VOLTS
	FP503	1	STRAIGHT GUIDE PIN					
	FP500	1	MOUNTING FLANGE, LEFT					
	FP501	1	MOUNTING FLANGE, RIGHT					

THIS DRAWING IS UNPUBLISHED. IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED. IT IS TO BE RETURNED TO TYCO ELECTRONICS CORPORATION WHEN NO LONGER NEEDED. IT IS TO BE DESTROYED WHEN NO LONGER NEEDED. IT IS TO BE DESTROYED WHEN NO LONGER NEEDED. IT IS TO BE DESTROYED WHEN NO LONGER NEEDED.		DWN C. ROHER 29JAN2009	Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		CHK P. DAMATO 29JAN2009	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±.5 1 PLC ±0.5 2 PLC ±0.25 3 PLC ±.5 4 PLC ±.5 ANGLES ±.5 FINISH ±.5		APVD P. DAMATO 29JAN2009	PRODUCT SPEC	
MATERIAL -		APPLICATION SPEC	SIZE A100779	
CUSTOMER DRAWING		WEIGHT -	DRAWING NO C=2085124	
SCALE 3:1		SHEET 2		OF 3
REV A1				

